Refine Search

Search Results -

Terms	Documents
((virtual or logical) near5 port) same concentrator	31

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

		Refine Search
Recall Text	Clear	Interrupt

Search History

DATE: Tuesday, January 10, 2006 Printable Copy Create Case

<u>Set Nam</u> side by sid	<u>e Query</u> le	Hit Count	Set Name result set
DB=P	GPB,USPT,USOC; PLUR=YES; OP=OR		
<u>L3</u>	((virtual or logical) near5 port) same concentrator	31	<u>L3</u>
<u>L2</u>	((virtual or logical) near5 port) same concentrator same bus	1	<u>L2</u>
<u>L1</u>	((virtual or logical) near5 port) same physical same concentrator same bus	1	<u>L1</u>

Refine Search

Search Results -

Terms	Documents
((virtual or logical) near5 port) same concentrator	1

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:

		2	Refine Search
Recall Text 🗢	Clear		Interrupt

Search History

DATE: Tuesday, January 10, 2006 Printable Copy Create Case

Set Name Query side by side	Hit Count S	Set Name result set
DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L4</u> ((virtual or logical) near5 port) same concentrator	1	<u>L4</u>
DB=PGPB, USPT, USOC; PLUR=YES; OP=OR		
<u>L3</u> ((virtual or logical) near5 port) same concentrator	31	<u>L3</u>
<u>L2</u> ((virtual or logical) near5 port) same concentrator same bus	1	<u>L2</u>
<u>L1</u> ((virtual or logical) near5 port) same physical same concentrator same bus	1	<u>L1</u>

Refine Search

Search Results -

Terms	Documents
L1 and concentrator	0

Database:

US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

US Pre-Grant Publication Full-Text Database

Search:

L4			Refine Search
	Recall Text 🗢	Clear	Interrupt

Search History

DATE: Tuesday, January 10, 2006 Printable Copy Create Case

Set Name Query side by side	Hit Count	Set Name result set
DB=EPAB,JPAB,DWPI,TDBD; PLUR=YI	ES; OP=OR	result set
<u>L4</u> L1 and concentrator	0	<u>L4</u>
DB=PGPB,USPT,USOC; PLUR=YES; OF	P=OR	
<u>L3</u> L1 same concentrator	1	<u>L3</u>
<u>L2</u> L1 and concentrator	36	<u>L2</u>
L1 ((virtual or logical) near10 port) sa	me bus 1197	L1

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index	
Term:	IBM Technical Disclosure Bulletins L1 and concentrator	
	Documents in Display Format: - C Hit List Hit Count Side by Side C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		епирі
······	Search History	

DATE: Tuesday, January 10, 2006 Printable Copy Create Case

<u>Set Name Query</u> side by side	Hit Count	Set Name result set
DB=PGPB,USPT,USOC; PLUR=YES	; OP=OR	
<u>L3</u> L1 same concentrator	1	<u>L3</u>
<u>L2</u> L1 and concentrator	36	<u>L2</u>
L1 ((virtual or logical) near10 por	t) same bus 1197	<u>L1</u>



Home | Logie | Logout | Access information | Arer's | Sitemap | Halp

Welcome United States Patent and Trademark Office

Search Results BROWSE SEARCH **HEE XPLORE GUIDE** SUPPORT Results for "((virtual port)<in>metadata) and bus" e-mail printer friendly Your search matched 2 of 1293212 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History Modify Search ((virtual port)<in>metadata) and bus New Search 22 Check to search only within this results set » Кеу Display Format: Citation Citation & Abstract KEEE JNL IEEE Journal or Magazine IEE JNL IEE Journal or Magazine Select Article Information HEE CHE IEEE Conference Proceeding 1. A multiprocessor architecture for high-rate communication processing IEE CNF IEE Conference Proceeding Johnson, E.E.; IEEE STD IEEE Standard Military Communications Conference, 1991. MILCOM '91, Conference Record, 'Military Communications in a Changing World'.. IEEE 4-7 Nov. 1991 Page(s):1001 - 1006 vol.3 Digital Object Identifier 10.1109/MILCOM.1991.258421 AbstractPlus | Full Text: PDF(348 KB) | IEEE CNF 2. Evaluation of Futurebus+ for a GMMP multiprocessor Johnson, E.E.; Moore, R.S.; Polson, J.T.; Computing and Information, 1992. Proceedings. ICCI '92., Fourth International Conference on 28-30 May 1992 Page(s):441 - 444 Digital Object Identifier 10.1109/ICCI.1992.227617

AbstractPlus | Full Text: PDF(340 KB) | IEEE CNF

Indexed by

Contact Us Privacy & Security IEEE.org

© Copyright 2005 IEEE -- All Rights Reserved

EEEXplore# A multiprocessor architecture for high-rate communication processing

Home I ungin I Logout | Access Information | Alarts | Startep | Help

@ AbstractPlus

SHOWSE

Welcome United States Patent and Tradement Office

A multiprocessor architecture for high-rate communication processing

BOIDS HOUSE COIDE

SEARCH

SUPPORT

De-mail 🚵 putrater triencoly

Access this document

Full Text: PDE (348 KB)

Download this citation

Choose Citation

New Mexico State Univ., Las Cruces, NM, USA;

Download EndNote, ProCite, RefMan

This paper appears in: Military Communications Conference, 1991. MILCOM '91, Conference Record, 'Military Communications in a

» Learn More

Rights & Permissions

Recuest Permissions

» Learn More

Meeting Date: 11/04/1991 - 11/07/1991 Publication Date: 4-7 Nov. 1991 On page(s): 1001 - 1006 vol.3

Changing World'., IEEE

INSPEC Accession Number: 4264065 Location: McLean, VA

Digital Object Identifier: 10.1109/MILCOM.1991.258421

Posted online: 2002-08-06 18:05:46.0

processing power by simply adding or removing I/O controllers, memory modules, and processors. This architecture is described, followed by The author presents a general-purpose multiprocessor architecture which accommodates an I/O bandwidth of many Gb/s through the use of VRAM in the main memory. The virtual port memory architecture is a global-memory-message-passing multiprocessor which is well suited to I/O-intensive real-time processing. This bus-based architecture permits incremental adjustments in I/O bandwidth, memory size, and an analysis of its performance in handling various communication processing tasks, including the 4×300 Mb/s data stream at the NASA fracking and Data Relay Satellite System (TDRSS) ground terminal

index Terms

Inspec

computer networks data communication systems multiprocessing systems parallel architectures satellite relay

systems telecommunications computing

Non-controlled Indexing

NASA Tracking and Data Relay Satellite System VRAM bus-based architecture, data communication, global-

memory-message-passing multiprocessor high-rate communication processing multiprocessor architecture performance virtual port memory architecture

Author Keywords

Not Available

References

No references available on IEEE Xplore.

Citing Documents

IEEEXplore# A multiprocessor architecture for high-rate communication processing

No citing documents available on IEEE Xplore.

#Inspec

Help Contact Us Privacy & Security IEEE.org の Copyright 2008 대표표 - All Rights Reserved



IEE Conference Proceeding

IEEE Standard

Home | Logie | Logiest | Access information | Alerts | Sitemap | Halp

Welcome United States Patent and Trademark Office SUPPORT Search Results BROWSE SHARCH **HEE XPLORE GUIDE** Results for "((virtual port)<in>metadata) and concentrator" e-mail printer triendly Your search matched 0 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History Modify Search ((virtual port)<in>metadata) and concentrator New Search >> Check to search only within this results set * Key Citation Citation & Abstract Display Format: HEEE JNL IEEE Journal or Magazine iee jnl IEE Journal or Magazine IEEE CNF IEEE Conference Proceeding No results were found.

Help Contact Us Privacy & Security IEEE.org O Copyright 2005 IEEE - All Rights Reserved

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Indexed by **#Inspec**

REE CAP

IEEE STD